

# PROGRESS IN NOVEL FLUORINATED AROMATIC POLYIMIDES


## — Synthesis, Characterization and Properties

Hong-shen Li, Zi-yi Ge, Lin Fan, Jin-gang Liu, Hai-xia Yang, Shi-yong Yang\*

Laboratory of Advanced Polymer Materials, Institute of Chemistry, Chinese Academy of Sciences, Beijing 100080, China; Tel. 86-10-6256-4819; Fax: 86-10-6256-9562; E-mail: shiyang@iccas.ac.cn

The recent progress in synthesis, characterization and properties of novel fluorinated aromatic polyimides in our laboratory were described. The novel fluorinated aromatic dianhydrides, such as 4,4'-{2,2,2-trifluoro-1-[3',5'-bis(trifluoromethyl)phenyl]ethylidene} diphthalic anhydride (9FDA) and 4,4'-[2,2,2-trifluoro-1-(3'-trifluoromethylphenyl)ethylidene] diphthalic anhydride (HFDA) or from the novel fluorinated aromatic diamines, such as 1,4-bis(4-amino-2-trifluoromethylphenoxy)benzene (6FAPB) and 1,4-bis(4-amino-2-trifluoro methylbiphenoxy)benzene (6FBAB) were synthesized (Scheme 1). The fluorinated aromatic polyimides were prepared via two different polymerization pathways, *i.e.* one-step polycondensation procedure at high temperature and two-step polycondensation route at ambient temperature, depending on the relative polycondensation reactivity between the fluorinated aromatic dianhydrides and the fluorinated aromatic diamines employed (Scheme 2). The effects of the chemical structures of the fluorinated aromatic polyimides on their combined properties, such as thermal stability, mechanical properties, electrical and dielectric properties, as well as the chemical and physical stability were investigated.

The molecular weight-controlled fluorinated aromatic polyimides were also prepared. The processability of the fluorinated aromatic polyimides, especially the solubility in organic solvents, the meltability and melt stability at elevated temperature, were not only strongly depended on the chemical structures and the polyimide backbones but also on the polymer molecular weights and the molecular weight distributions. High soluble and high meltable aromatic polyimides could be obtained by controlling the chemical structures of the polyimide backbone as well as the molecular weights. As high as 40-45 wt.% of dissolvability in NMP or DMAC could be obtained for some of fluorinated aromatic polyimides to form a storable polymer solution. High flowing and stable molten fluids at temperature of 260-280 °C could also be achieved for the molecular weight-controlled aromatic polyimides, which are suitable for infusing, injecting or resin transfer molding processing.



**Scheme 1.** Synthesis of fluorinated aromatic dianhydrides. **Scheme 2.** Preparation of aromatic polyimides.